

OUTBOARDS APPLICATIONS



FORCE®, CHRYSLER, U.S. MARINE

3.5-3.6 HORSEPOWER

3.5-3.6 HP1969-76

Boat Length/Description	Diameter		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#	OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
Std. Replacement	7-1/2	L 4-1/2	2	48-FP19		072017								

3.5-8 HORSEPOWER

3.5 HP1980-84 5 HP1987-98 4, 4.4, 6, 6.6, 7, 7.5, & 81968-88

(SPLINED SHAFT)

Boat Length/Description	Diameter		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#	OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
Std. Replacement	7-1/4	R 5-1/2	3	48-FP488		072123								

5 HORSEPOWER

5 HP1975-77

Boat Length/Description	Diameter		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#	OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
Std. Replacement	7-1/2	L 5-1/2	2			0152014								

6-10 HORSEPOWER

6-10 HP Sailor1976-78 Sailor 180-2501979-84

Boat Length/Description	Diameter		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#	OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
SB	10-3/8	R 10	3	FP-278		072014								

9.9-15 HORSEPOWER

9.9 HP1968-98 12 HP1978-79 15 HP1980-98

10 HP1974-78 12.9 HP1968-75

(SPLINED SHAFT)

Boat Length/Description	Diameter		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#	OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
Std. Replacement	8-1/8	R 8-1/4	3	FP408		072026								
14-16' - LL	8-1/4	R 6	3	FP395		072121								
12-14' - LL	8-1/4	R 8-1/4	2	48-FP70		072024								
12-14' - LL	8	R 9	3	FP472		072122								

20-25 HORSEPOWER

20-25 HP1968-78

(SPLINED SHAFT)

Boat Length/Description	Diameter		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#	OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
Std. Replacement	8-1/2	R 8-1/2	3	FP324		0152002								

Key to abbreviations: LL: Light Loads; SB: Sailboat; AL: All Loads; SK: Skiboat; WB: Workboat; HB: Houseboat; CR: Cruisers; HL: Heavy Loads; WD: Weedless

▶ LIMITED INVENTORY ITEMS.

OUTBOARDS APPLICATIONS



FORCE®, CHRYSLER, U.S. MARINE

25 HORSEPOWER

25 HP 3 Cyl.1995-98

Boat Length/Description	Diameter		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#	OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
15-19'	10-3/8 R 11	3	48-19638A40	031049										
13-17'	10-3/8 R 13	3	48-19640A40	031048							10-1/8 x 13	3	305129	
Up to 14'	10-1/4 R 14-1/2	3	48-19642A40	031047							10-1/8 x 15	3	305130	

20-60 HORSEPOWER

20-25 HP1979-81 40 HP1992 - 94 50 HP1982-94
 30 HP1966-82 45 HP1966 - 84 55-60 HP❖❖1966-84
 35 HP1966-91
 (SPLINED SHAFT)

Boat Length/Description	Diameter		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#	OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
CR, HB, SB	10-3/8 R 10	3	48-819337A40	072014										
17-19' - AL, SK	10-3/8 R 11-1/2	3	48-819336A40	072131										
16-17' - AL, SK	10-3/8 R 12-1/2	3	48-819335A40	072132										
14-16' - AL SK	10-3/8 R 13-1/2	3	48-819334A4	072133										
14-16' - LL	10-3/8 R 14-1/2	3		072134										

40-75 HORSEPOWER

40, 50 HP1995-98 70 HP1991-95 75 HP1996-98

Boat Length/Description	Diameter		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#	OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
19' and Up	12-1/2 R 8	3	48-42738A10	032141										
19' and Up	12-1/2 R 8	3		★031070										
17-19' - AL, SK	11-1/4 R 10	3	48-73132A40	031015			10-1/2 x 10	3	033088					
16-18' - AL, SK	12 R 10-1/2	3	48-42740A10	032142										
16-18' - AL, SK	12 R 10-1/2	3		★031071										
16-18' - AL, SK	10-7/8 R 11	3	48-85632A40	031053										
15-17' - AL, SK	10-3/4 R 12	3	48-816702A40	031056										
15-17' - AL, SK	10-5/8 R 12	3	48-73134A40	031016	48-79792A5	033001	10-1/2 x 12	3	033089					
14-17' - AL, SK	10-1/2 R 13	3	48-816704A40	031057			10-1/2 x 13	3	033090			10-1/8 x 13	3	395129
14-17' - AL, SK	10-3/8 R 13	3	48-73136A40	031017										
14-16' - LL	10-3/8 R 14	3	48-816706A40	031058										
14-16' - LL	10-1/4 R 14	3	48-73138A40	031018	48-76230A5	033028	10-1/2 x 14	3	033091					
13-15' - LL	10-1/8 R 15	3	48-73140A40	031019			10-1/2 x 15	3	033092			10-1/8 x 15	3	395130
Up to 15' Bts.	10 R 17	3	48-73144A40	031020										

80 HORSEPOWER

80 HP❖❖1961-65

Boat Length/Description	Diameter		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#	OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
16-17' - AL, SK	12-1/8 R 14	3	FP-84	012033										

Key to abbreviations: LL: Light Loads; SB: Sailboat; AL: All Loads; SK: Skiboat; WB: Workboat; HB: Houseboat; CR: Cruisers; HL: Heavy Loads; WD: Weedless

★ New Cupped Version.

❖❖ Two piece lower unit

▶ LIMITED INVENTORY ITEMS.

OUTBOARDS APPLICATIONS



FORCE®, CHRYSLER, U.S. MARINE

70-135 HORSEPOWER

70-135 HP❖❖1970-79
(18 SPLINES)

Boat Length/Description	Diameter		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#	OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
16-17' - AL, SK	13-1/8 R 15	3	FP-389	072032										
14-16' - AL, SK	13-1/8 R 17	3	48-FP372	072033										
Light Runabouts - LL	13-1/8 R 19	3	FP-383	072034										

70-140 HORSEPOWER

70-140 HP❖1977-89
(15 SPLINES)

Boat Length/Description	Diameter		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#	OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
17-19' - AL, SK	14 R 13	3	FPS501	072054										
16-17' - AL, SK	13-1/8 R 15	3	FPS519	072055										
16-17' - AL, SK	13-3/4 R 15	3				073002								
14-16' - AL, SK	13-1/4 R 17	3	FPS623	072107	FP539	073003								
14-16' - LL	13 R 19	3	FPS625	072108	FP540	073004								
High Perf. Racing	13 R 21	3	FPS526	072109										

85-150 HORSEPOWER • SINGLE EXHAUST UNITS

85, 125 HP1988-89 90 HP L-Drive1989-91
 90, 120 HP1990-94 120 HP L-Drive1989-91
 150 HP1989-94 150 HP L-Drive1991
 (15 SPLINES & THRU HUB EXHAUST)

Boat Length/Description	Diameter		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#	OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
17-22' - AL, SK	13-1/2 R 15	3	48-FP669-1	*071035										
17-22' - AL, SK	13-1/2 R 15	3	48-FP692-1	072127										
17-22' - AL, SK	13-3/4 R 15	3			FP699	*073007								
16-20' - AL, SK	13-1/2 R 17	3	48-FP685-1	*071036										
16-20' - AL, SK	13-1/2 R 17	3	48-FP685-1	072128										
16-20' - AL, SK	13-1/4 R 17	3			FP668	*073008								
16-18' - AL, SK	13 R 19	3	48-FP686-1	*071037	FP695	*073009								
16-18' - AL, SK	13 R 19	3	48-FP686-1	072129										
Up to 16' - AL, SK	12-5/8 R 21	3	48-FP694	*071038										
Up to 16' - AL, SK	13 R 21	3			FP69	*073010								

Key to abbreviations: LL: Light Loads; SB: Sailboat; AL: All Loads; SK: Skiboat; WB: Workboat; HB: Houseboat; CR: Cruisers; HL: Heavy Loads; WD: Weedless

- ❖ One piece lower unit. ❖❖ Two piece lower unit. ◀ LIMITED INVENTORY ITEMS.
- * If currently using uncupped propeller, use cupped propeller having 2" less pitch. Boats with power trim use same pitch.

OUTBOARDS APPLICATIONS



FORCE®, CHRYSLER, U.S. MARINE

75-150 HORSEPOWER • DUAL EXHAUST UNITS

75 HP1999 & Newer	150 HP +1989-94	120 HP L-Drive +1990-91
90, 120 HP +1990-94	90 HP L-Drive +1990-91	150 HP L-Drive +1991
90, 120 HP ++1995-98		

Boat Length/Description	Diameter		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#	OEM	Michigan	OEM	Michigan	Di. x Pitch	Blades	RH	LH	Di. x Pitch	Blades	RH	LH
25' and Up - AL	14 R 11	3	48-77338A40	031054										
22' and Up - AL	14 R 13	3	48-77340A40	031055										
19-24' - AL, SK	13-3/4 R 15	3	48-77342A40	031041	48-16986A5	033016	13-1/4 x 15	3	033084		13-5/8 x 15	3	335130	
17-20' - AL, SK	13-1/4 R 17	3	48-77344A40	031042	48-16988A5	033017	13-1/4 x 17	3	033085		13-1/2 x 17	3	335131	
16-19' - AL, SK	13 R 19	3	48-77346A40	031043	48-16990A40	033018	13-1/4 x 19	3	033086		13-3/8 x 19	3	335132	
15-18' - AL, SK	12-3/4 R 21	3	48-77348A40	031044			13-1/4 x 21	3	033087		13-1/8 x 21	3	335133	
15-18' - AL, SK	13 R 21	3			48-16992A40	033019								
Up to 17' - LL	12-1/2 R 23	3	48-77350A40	031045										
High Performance									Ballistic 3 XL		13-1/2 x 22	3	335134	
High Performance									Ballistic 3 XL		13-1/2 x 24	3	335135	

Key to abbreviations: LL: Light Loads; SB: Sailboat; AL: All Loads; SK: Skiboat; WB: Workboat; HB: Houseboat; CR: Cruisers; HL: Heavy Loads; WD: Weedless

† For dual exhaust units only & requires thrust washer 23-819057.
 ★ Requires special exhaust snout Part No. F744116 for proper fit.

†† For all units 1995 thru current. Requires thrust washer 13191A1.
 ► LIMITED INVENTORY ITEMS.

Single vs. Dual Exhaust

