

# OUTBOARDS APPLICATIONS



## EVINRUDE®, JOHNSON®

### 2-4 HORSEPOWER

2, 3, 3 HP .....2000 & Newer      3-4 HP Weedless .....1952-73

Boat Length/Description	Diameter			Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#		OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
Std. Replacement	6-1/8	R 4-1/2	3	203919	●012001										

### 4-8 HORSEPOWER

4 HP .....1980-83      4.5 HP Deluxe .....1986-95      6, 7.5, 8 HP .....1980 & Newer  
(PIN DRIVE)

Boat Length/Description	Diameter			Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#		OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
Heavy Boats, HB	8-1/2	R 7	3	391096	012031										
Std. Replacement	8-1/2	R 9	3	390237	012032										

### 5 HORSEPOWER

5 HP .....1965-68

Boat Length/Description	Diameter			Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#		OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
12-14' - LL	8	L 7-1/2	3	380104	012004										

### 5.5-6 HORSEPOWER

5.5-6 HP .....1954-65

Boat Length/Description	Diameter			Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#		OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
14-16' - LL	7-3/4	R 6-1/2	3		012067										
12-14' - LL	8	R 7-1/4	2	376968	012060										

### 10 HORSEPOWER

10 HP .....1951-57

Boat Length/Description	Diameter			Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#		OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
12-14' - AL	9	R 8	3	277595	012006										

### 6-15 HORSEPOWER

6 HP .....1966-79      10 HP .....1958-63      8-15 HP .....2000 & Newer  
9.5 HP .....1964-73      10, 12, 14 HP \*\*\* .....1982-94  
(PIN DRIVE)

Boat Length/Description	Diameter			Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#		OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
14-16' - LL	7-3/4	R 6-1/2	3		012068										
14-16' - AL, SK	8-1/4	R 8	3	387334	012008										
14-16' Runabouts	8-1/4	R 9	3	391534	012101										
12-14' - LL	8	R 7-1/4	3	376968	012005										
12-14' - LL	8-1/4	R 8-1/2	3	377635	012007										

Key to abbreviations: LL: Light Loads; SB: Sailboat; AL: All Loads; SK: Skiboat; WB: Workboat; HB: Houseboat; CR: Cruisers; HL: Heavy Loads; WD: Weedless

\*\*\* Engines offered in European Market Only

● Hub is not included.

# OUTBOARDS APPLICATIONS



## EVINRUDE®, JOHNSON®

### 9.9-15 HORSEPOWER

9.9-15 HP .....1974 & Newer      8, 9.9, 15 HP (4-Stroke) .....1995 & Newer  
(13 SPLINE & THRU HUB EXHAUST)

Boat Length/Description	Diameter		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#	OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
Heavy Bts., SB	10 R 5	3	386669	012113										
14-16' - AL, SK	10 R 7	3	398126	012112										
Std. Replacement	9-1/2 R 10	3	174950	012111										

### 15-25 HORSEPOWER

15 HP .....1953-56      20 HP .....1969-73      25 HP .....1969-77  
18 HP .....1957-73  
(PIN DRIVE)

Boat Length/Description	Diameter		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#	OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
CR, HB, SB	9-1/4 R 7	3	388294	012102										
16-18' - HL	9 R 8	3		012014										
Weedless	9 R 10	3	592959	012076										
14-16' - HL	9 R 9	3	379717	012109										
12-14' - HL	9 R 10	3	383629	012011										
12-14' - LL	9-1/4 R 11	3	388088	012013										
12-14' - LL	9-1/4 R 12	3		012010										

### 14-28 HORSEPOWER

14 HP .....1989      25 HP § .....1978-91      28 HP .....1986-96  
25 HP .....1978-84  
(SPLINE DRIVE)

Boat Length/Description	Diameter		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#	OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
16-18' - HL	9 R 9	3	389068	012021										
16-18' - HL	9 R 9	3		★011030										
15-17' - AL, SK	9 R 10	3	389069	012015										
15-17' - AL, SK	9 R 10	3		★011031										
14-17' - AL, SK	9-1/4 R 11	3	388883	012016										
14-17' - LL	9-1/4 R 12	3	389944	012030										

### 20-35 HORSEPOWER

20 HP 2 Cyl. ....1984-97      25 HP 2 & 3 Cyl. ....1984 & Newer      35 HP 2 & 3 Cyl. ....1976 & Newer  
25 HP (Commercial) .....1993 & Newer      30 HP 2 Cyl. ....1984 & Newer  
(THRU HUB EXHAUST)

Boat Length/Description	Diameter		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#	OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
CR, HB	11-1/4 R 7	3	387320	012053										
CR, HB	11-1/4 R 7	3		★011032										
17-20' - AL, SK	11 R 9	3	386317	012054										
17-20' - AL, SK	11 R 9	3		★011033										
16-18' - AL, SK	10-1/2 R 11	3	175190	012055										
15-17' - AL, SK	10 R 13	3	175191	012056							10-1/8 x 13	3	305029	
13-15' - AL, SK	10 R 15	3	390380	012057							10-1/8 x 15	3	305030	

Key to abbreviations: LL: Light Loads; SB: Sailboat; AL: All Loads; SK: Skiboat; WB: Workboat; HB: Houseboat; CR: Cruisers; HL: Heavy Loads; WD: Weedless

★ New Cupped Version.

§ Commercial & Workhorse Engines

# OUTBOARDS APPLICATIONS



## EVINRUDE®, JOHNSON®

### 25-40 HORSEPOWER

25 HP .....1951-55	33 HP .....1965-70	40 HP .....1960-76
28 HP .....1962-64	35 HP .....1957-59	40 HP § .....1978-85
30 HP .....1956		

(PIN DRIVE)

Boat Length/Description	Diameter		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#	OEM	Michigan	OEM	Michigan	Di. x Pitch	Blades	RH	LH	Di. x Pitch	Blades	RH	LH
CR, HB, SB	10-1/2 R 10	3	376738	012027										
17-19' - AL, SK	10-3/8 R 11-1/2	3	385955	012023										
14-16' - AL, SK	10-3/8 R 12-1/2	3	378580	012022										
14-16' - AL, SK	10-1/2 R 12	3	380637	012024										
14-16' - LL	10-3/8 R 13-1/2	3	378579	012025										
14-16' - LL	10-1/2 R 13	3	384460	012028										
12-14' - LL	10-3/8 R 14	3	378571	012026										

### 40-50 HORSEPOWER (4-Stroke)

40 HP (4-Stroke) .....1999 & Newer	50 HP (4-Stroke) .....1999 & Newer
------------------------------------	------------------------------------

Boat Length/Description	Diameter		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#	OEM	Michigan	OEM	Michigan	Di. x Pitch	Blades	RH	LH	Di. x Pitch	Blades	RH	LH
18-21' - AL	12-1/4 R 10	3		032045			10-1/2 x 10	3	033093					
18-21' - AL	12-1/4 R 10	3		★031072										
17-19' - AL	12 R 11	3		032044										
17-19' - AL	12 R 11	3		★031073										
16-18' - LL	10-5/8 R 12	3			▶113001		10-1/2 x 12	3	033094					
15-17' - LL	11-3/4 R 12	3		032043										
14-16' - LL	11-1/2 R 13	3		032042			10-1/2 x 13	3	033095		10-1/8 x 13	3	395929	
13-15' - LL	10-1/4 R 14	3			▶113002		10-1/2 x 14	3	033096					
12-14' - LL	11-1/4 R 14	3		032041										
12-14' - LL	11 R 15	3		032040			10-1/2 x 15	3	033097		10-1/8 x 15	3	395930	
12-14' - LL	10-3/4 R 16	3		032039										

### 40-75 HORSEPOWER • SMALL GEARCASE

40 HP 2 Cyl. ....1984 & Newer	55 HP 2 Cyl. ....1976-79	Sprint .....1986-92
48 HP .....1987-96	60 HP 2 Cyl. ....1980-85	Formula E .....1986-92
50 HP 2 Cyl. ....1975 & Newer	75 HP 3 Cyl. ....1975-85	

(SMALL GEARCASE & THRU HUB EXHAUST)

Boat Length/Description	Diameter		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#	OEM	Michigan	OEM	Michigan	Di. x Pitch	Blades	RH	LH	Di. x Pitch	Blades	RH	LH
CR, HB	13 R 11	3	386907	012036			11-3/4 x 11	3	013080					
CR, HB	13 R 11	3		★011034										
15-18' - AL, SK	12-1/2 R 13	3	386909	012037	390849	013024	11-3/4 x 13	3	013081					
15-18' - AL, SK	12-1/2 R 13	3		★011035										
14-17' - AL, SK	12-1/4 R 15	3	176421	★011027										
14-17' - AL, SK	12-1/4 R 15	3	386786	012038	390850	013010	11-3/4 x 15	3	013082		12-3/8 x 15	3	325030	
13-15' - LL	11-3/4 R 17	3	176422	★011028										
13-15' - LL	11-3/4 R 17	3	386841	012039	390851	013026	11-3/4 x 17	3	013083		12 x 17	3	325031	
12-14' - LL	11-1/2 R 19	3	176423	★011029										
12-14' - LL	11-1/2 R 19	3	386908	012040										
12-14' - LL	11-1/2 R 19	3			390852	013032								

Key to abbreviations: LL: Light Loads; SB: Sailboat; AL: All Loads; SK: Skiboat; WB: Workboat; HB: Houseboat; CR: Cruisers; HL: Heavy Loads; WD: Weedless

★ New Cupped Version.

§ Commercial & Workhorse Engines

▶ LIMITED INVENTORY ITEMS.

# OUTBOARDS APPLICATIONS



## EVINRUDE®, JOHNSON®

### 50 HORSEPOWER

50 HP V-4 (PIN DRIVE) . . . . .1958-59

Boat Length/Description	Diameter		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#	OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
14-16' - AL, SK	12-1/8 R 14	3	278155	<b>012033</b>										

### 45-75 HORSEPOWER • LARGE GEARCASE

45 HP 2 Cyl. Commercial . . . . .1986 & Newer      50 HP 2 Cyl. Pleasure . . . . .1971-74      65 HP 3 Cyl. Pleasure . . . . .1972-73  
 50 HP 2 Cyl. Commercial . . . . .1977-79      50 HP 3 Cyl. Pleasure . . . . .1994 & Newer      70 HP 3 Cyl. Pleasure . . . . .1974 & Newer  
 55 HP 2 Cyl. Commercial . . . . .1980 & Newer      55 HP 3 Cyl. Pleasure . . . . .1968-69      75 HP 3 Cyl. Pleasure . . . . .1975-84  
 65 HP 3 Cyl. Commercial . . . . .1984 & Newer      60 HP 3 Cyl. Pleasure . . . . .1970-71, 1986 & Newer

(LARGE GEARCASE & THRU HUB EXHAUST)

Boat Length/Description	Diameter		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#	OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
CR, HB	14 R 10	4		<b>012074</b>										
CR, HB	14 R 10	4		<b>*011036</b>										
CR, HB	14 R 11	3	382761	<b>012047</b>										
CR, HB	14 R 11	3		<b>*011038</b>										
CR, - HB	14 R 13	3	391668	<b>*011001</b>										
19-22' - AL	14 R 12	4		<b>012075</b>										
19-22' - AL	14 R 12	4		<b>*011037</b>										
17-19' - AL, SK	13-3/4 R 15	3	391198	<b>*011002</b>	389949	<b>013028</b>	13-1/4 x 15	3	<b>013076</b>		13-5/8 x 15	3	<b>335030</b>	
15-18' - AL, SK	13-1/4 R 17	3	391199	<b>*011003</b>			13-1/4 x 17	3	<b>013077</b>		13-1/2 x 17	3	<b>335031</b>	
15-18' - AL, SK	13-3/8 R 17	3			389948	<b>013030</b>								
15-18' - AL, SK	14 R 17	3	<b>176214</b>	<b>*011024</b>										
14-16' - AL, SK	13 R 19	3	390896	<b>*011004</b>	389510	<b>013033</b>	13-1/4 x 19	3	<b>013078</b>		13-3/8 x 19	3	<b>335032</b>	
14-16' - AL, SK	14 R 19	3	<b>176215</b>	<b>*011025</b>										
13-15' - AL, SK	12-3/4 R 21	3	389788	<b>*011005</b>	389512	<b>013034</b>	13-1/4 x 21	3	<b>013079</b>		13-1/8 x 21	3	<b>335033</b>	
13-15' - AL, SK	14 R 21	3	<b>176216</b>	<b>*011026</b>										

### 60-70 HORSEPOWER (4-STROKE)

60, 70 + (4-STROKE) . . . . .1998 & Newer

Boat Length/Description	Diameter		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#	OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
17-19' - AL, SK	13-3/4 R 15	3		<b>*061001</b>		<b>063001</b>	13-1/4 x 15	3	<b>063042</b>		13-5/8 x 15	3	<b>335530</b>	
15-18' - AL, SK	13-1/4 R 17	3		<b>*061002</b>		<b>063002</b>	13-1/4 x 17	3	<b>063043</b>		13-1/2 x 17	3	<b>335531</b>	
14-16' - AL, SK	13 R 19	3		<b>*061003</b>		<b>063003</b>	13-1/4 x 19	3	<b>063044</b>		13-3/8 x 19	3	<b>335532</b>	
14-16' - LL	13 R 21	3		<b>*061004</b>			13-1/4 x 21	3	<b>063045</b>		13-1/8 x 21	3	<b>335533</b>	

Key to abbreviations: LL: Light Loads; SB: Sailboat; AL: All Loads; SK: Skiboat; WB: Workboat; HB: Houseboat; CR: Cruisers; HL: Heavy Loads; WD: Weedless

- ★ New Cupped Version
- + Use stopper 57632-87E10, Spacer 57633-95501, Washer 09160-18018
- \* If currently using uncupped propeller, use cupped propeller having 2" less pitch. Boats with power trim use same pitch.
- ▶ LIMITED INVENTORY ITEMS.

Standard Hub Motor Application



# OUTBOARDS APPLICATIONS



## EVINRUDE®, JOHNSON®

### 90-300 HORSEPOWER • V6 GEARCASE

90 HP V-4 .....1995 & Newer	150 HP V-6 Commercial .....1993 & Newer	235 HP V-6 .....1978-85
100 HP V-4 Commercial .....1984 & Newer	155 HP V-6 Commercial .....1978 & Newer	250 HP V-6 .....2001 & Newer
115 HP V-4 .....1995 & Newer	175 HP V-6 .....1977 & Newer	2.6 Liter V-6 .....1984-85
130 HP V-4 .....1995 & Newer	185 HP V-6 .....1984-85	250 HP V-8 .....1991 & Newer
120-140 HP V-4 .....1985	200 HP V-6 .....1976 & Newer	275 HP V-8 .....1986-88
140 (25) HP V-4 .....1989-94	200 HP V-6 .....2000 & Newer	300 HP V-8 .....1986-95
150 HP V-6 .....1978 & Newer	225 HP V-6 .....1986 & Newer	3.6 Liter V-8 .....1986-87

(15 SPLINES & THRU HUB EXHAUST)

Boat Length/Description	Diameter		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#	OEM	Michigan	OEM	Michigan	Di. x Pitch	Blades	RH	LH	Di. x Pitch	Blades	RH	LH
CR, HB	15-1/2 R 10	3		011015										
CR, HB	15-1/2 R 13	3	391536	011016										
CR, HB	15-1/2 R 15	3	391535	011006										
CR, HB	15 R 15	3			174926	013052	14-1/4 x 15	3	013064	013065	14-7/8 x 15	3	345031	
CR, HB	15 L 15	3			174927	013051								
20-26' Bts. - AL, SK	15 R 17	3	391200	011007	391290	013044	14-1/4 x 17	3	013066	013067	14-3/4 x 17	3	345032	345062
20-26' Bts. - AL, SK	15 L 17	3			431930	013043								
18-22' Bts. - AL, SK	14-1/2 R 19	3	391201	011008	389924	013046	14-1/4 x 19	3	013068	013069	14-1/2 x 19	3	345033	345063
18-22' Bts. - AL, SK	14-1/2 L 19	3			390821	013045								
17-19' Bts. - AL, SK	14-1/4 R 21	3	391202	011009	389923	013048	14-1/4 x 21	3	013070	013071	14-3/8 x 21	3	345034	345064
17-19' Bts. - AL, SK	14-1/4 L 21	3			390822	013047								
15-18' Bts. - AL, SK	14-1/4 R 23	3	391203	011010	389019	013050	14-1/4 x 23	3	013072	013073	14--1/4 x 25	3	345035	345065
Up to 17'							14-1/4 x 25	3	013074	013075				
High Performance									Ballistic 3 XL		14-1/2 x 22	3	345041	
High Performance									Ballistic 3 XL		14-1/2 x 24	3	345037	
High Performance									Ballistic 3 XL		14-1/2 x 25	3	345038	

### High Performance 4 Blade Propellers

50-62 MPH	13-3/4 R 22	4				013036		Ballistic 4 XL	13-3/4 x 23	4	435035
55-67 MPH	13-3/4 R 24	4				013038		Ballistic 4 XL	13-3/4 x 25	4	435036
60-72 MPH	13-3/4 R 26	4				013040		Ballistic 4 XL	13-3/4 x 27	4	435037

Key to abbreviations: LL: Light Loads; SB: Sailboat; AL: All Loads; SK: Skiboat; WB: Workboat; HB: Houseboat; CR: Cruisers; HL: Heavy Loads; WD: Weedless

† 2-1/2" of skeg must be removed for proper fit. Use thrust washer 333592.

‡ LIMITED INVENTORY ITEMS.

\*\* Forward thrust washer A-9500-111 comes with propeller and replaces the standard OMC thrust washer, except when used on a 1991 or 1992. 1994 through current model engines use OMC thrust washer 12869.

