

# STERNDRIVE APPLICATIONS



## OMC - OUTBOARD MARINE

### MODEL 400, COBRA®

Model 400 .....	Cobra®
2.3 L (120 HP) .....Thru 1991	2.3 L (128 HP) .....1988-91
2.5 L (120 HP) .....1978-84	2.5 L (120 HP) .....1985-87
3.0 L (140 HP) .....Thru 1989	3.0 L (140 HP) .....1985-87

Boat Length - (MPH)	Diameter		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless				Ballistic High Performance Stainless			
	Rot. & Pitch	Blade#	OEM	Michigan	OEM	Michigan	Di. x Pitch	Blades	RH	LH	Di. x Pitch	Blades	RH	LH
Workboats - (6-16)	14 R 11	3	382761	012047										
CR, HB - (14-26)	14 R 13	3	391668	011001										
19-22' - (24-37)	13-3/4 R 15	3	391198	011002	389949	013028	13-1/4 x 15	3	013076					
17-20' - (30-45)	13-1/4 R 17	3	391199	011003			13-1/4 x 17	3	013077		13-1/2 x 17	3	335031	
17-20' - (30-45)	13-3/8 R 17	3			389948	013030								
17-20' - (30-45)	14 R 17	3	176214	011024										
16-19' - (36-50)	13 R 19	3	390896	011004	389510	013033	13-1/4 x 19	3	013078		13-3/8 x 19	3	335032	
16-19' - (36-50)	14 R 19	3	176215	011025										
15-18' - (41-53)	12-3/4 R 21	3	389788	011005	389512	013034	13-1/4 x 21	3	013079		13-1/8 x 21	3	335033	
15-18' - (41-53)	14 R 21	3	176216	011026										

### MODEL 800, KING COBRA®, COBRA®

3.0 L .....1990-93	3.8 L .....1978-85	5.0 L .....1978-93
3.2 L (Diesel) .....1992-93	4.3 L .....1985-93	5.8 L (Cobra) .....1989-93
Includes H.O. & EFI Models .....	Use Thrust Washer 126870	
(15 SPLINE & THRU HUB EXHAUST)		

Boat Length - (MPH)	Diameter		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless				Ballistic High Performance Stainless			
	Rot. & Pitch	Blade#	OEM	Michigan	OEM	Michigan	Di. x Pitch	Blades	RH	LH	Di. x Pitch	Blades	RH	LH
Non-Plane Heavy CR	15-1/2 R 10	3		011015										
Non-Plane Heavy CR	15-1/2 R 13	3	391536	011016										
22-26' - (22-32)	15-1/2 R 15	3	391535	011006										
19-24' - (28-35)	15 R 15	3			174926	013052	14-1/4 x 15	3	013064		14-7/8 x 15	3	345031	
19-24' - (28-35)	15 L 15	3			174927	013051	14-1/4 x 15	3	013065					
18-24' - (30-39)	15 R 17	3	391200	011007	391290	013044	14-1/4 x 17	3	013066		14-3/4 x 17	3	345032	
18-24' - (30-39)	15 L 17	3			431930	013043	14-1/4 x 17	3	013067		14-3/4 x 17	3	345062	
17-20' - (36-44)	14-1/2 R 19	3	391201	011008	389924	013046	14-1/4 x 19	3	013068		14-1/2 x 19	3	345033	
17-20' - (36-44)	14-1/2 L 19	3			390821	013045	14-1/4 x 19	3	013069		14-1/2 x 19	3	345063	
16-19' - (40-49)	14-1/4 R 21	3	391202	011009	389923	013048	14-1/4 x 21	3	013070		14-3/8 x 21	3	345034	
16-19' - (40-49)	14-1/4 L 21	3			390822	013047	14-1/4 x 21	3	013071		14-3/8 x 21	3	345064	
15-20' - (45-56)	14-1/4 R 23	3	391203	011010	389019	013050	14-1/4 x 23	3	013072		14-1/4 x 23	3	345035	
15-20' - (45-56)							14-1/4 x 23	3	013073		14-1/4 x 23	3	345065	
High Perf. - (50-60)							14-1/4 x 25	3	013074		14-1/4 X 25	3	345036	
High Perf. - (50-60)							14-1/4 x 25	3	013075					
16-19' High Perf.	Lifting Hulls								Ballistic 3 XL		14-1/2 x 22	3	345041	
15-18' High Perf.	Lifting Hulls								Ballistic 3 XL		14-1/2 x 24	3	345037	

Key to abbreviations: LL: Light Loads; SB: Sailboat; AL: All Loads; SK: Skiboat; WB: Workboat; HB: Houseboat; CR: Cruisers; HL: Heavy Loads; WD: Weedless

▶ LIMITED INVENTORY ITEMS.



# STERNDRIVE APPLICATIONS

## OMC - OUTBOARD MARINE

### MODEL 800, KING COBRA®, COBRA®

5.7 L .....1978-93                      7.4 L .....1990-93                      8.2 L .....1992-93  
 5.8 L (King Cobra) .....1992-94                      7.5 L .....1987-90  
 Includes H.O. & EFI Models .....                      Use Thrust Washer **126870**  
 (15 SPLINE & THRU HUB EXHAUST)

Boat Length - (MPH)	Diameter		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#	OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
Heavy CR - (25-32)	15-1/2 R 13	3	391536	<b>011016</b>										
22-28' - (30-27)	15-1/2 R 15	3	391535	<b>011006</b>										
19-26' - (33-39)	15 R 15	3			<b>174926</b>	<b>013052</b>	14-1/4 x 15	3	<b>013064</b>		14-7/8 x 15	3	<b>345031</b>	
19-26' - (33-39)	15 L 15	3			<b>174927</b>	<b>013051</b>	14-1/4 x 15	3	<b>013065</b>					
19-26' - (35-46)	15 R 17	3	391200	<b>011007</b>	<b>391290</b>	<b>013044</b>	14-1/4 x 17	3	<b>013066</b>		14-3/4 x 17	3	<b>345032</b>	
19-26' - (35-46)	15 L 17	3			<b>431930</b>	<b>013043</b>	14-1/4 x 17	3	<b>013067</b>		14-3/4 x 17	3		<b>345062</b>
18-24' - (40-52)	14-1/2 R 19	3	391201	<b>011008</b>	<b>389924</b>	<b>013046</b>	14-1/4 x 19	3	<b>013068</b>		14-1/2 x 19	3	<b>345033</b>	
18-24' - (40-52)	14-1/2 L 19	3			<b>390821</b>	<b>013045</b>	14-1/4 x 19	3	<b>013069</b>		14-1/2 x 19	3		<b>345063</b>
17-22' - (46-60)	14-1/4 R 21	3	391202	<b>011009</b>	<b>389923</b>	<b>013048</b>	14-1/4 x 21	3	<b>013070</b>		14-3/8 x 21	3	<b>345034</b>	
17-22' - (46-60)	14-1/4 L 21	3			<b>390822</b>	<b>013047</b>	14-1/4 x 21	3	<b>013071</b>		14-3/8 x 21	3		<b>345064</b>
High Perf. - (51-66)	14-1/4 R 23	3	391203	<b>011010</b>	<b>389019</b>	<b>013050</b>	14-1/4 x 23	3	<b>013072</b>		14-1/4 x 23	3	<b>345035</b>	
High Perf. - (51-66)							14-1/4 x 23	3	<b>013073</b>		14-1/4 x 23	3		<b>345065</b>
High Perf. - (55-66)							14-1/4 x 25	3	<b>013074</b>		14-1/4 x 25	3	<b>345036</b>	
High Perf. - (55-66)							14-1/4 x 25	3	<b>013075</b>					
High Performance									Ballistic 3 XL		14-1/2 x 22	3	<b>345041</b>	
High Performance									Ballistic 3 XL		14-1/2 x 24	3	<b>345037</b>	
High Performance									Ballistic 3 XL		14-1/2 x 26	3	<b>345038</b>	

### OMC SAILDRIVE® (PIN DRIVE)

Saildrive

Boat Length - (MPH)	Diameter		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#	OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
	10-1/2 R 10	3	376738	<b>012027</b>										

### MODEL 14 LARGE GEARCASE 1967-77 (PIN DRIVE)

HP Range: 120 -245	14 R 11	3	382676	<b>012089</b>										
	14 R 12	3	382017	<b>012090</b>										
	14 R 14	3	381185	<b>012091</b>										
	14 R 16	3	381186	<b>012092</b>										
	14 R 18	3	381187	<b>012093</b>										
	14 R 20	3	383287	<b>012094</b>										

Suggestion: For twin installation increase pitch 2".

### 80-90 HP CYCLE SMALL GEARCASE 1968 (PIN DRIVE) • MARINE DRIVE SYSTEMS/RANGER

HP Range: 80-120	10-1/4 R 10	3	378040	<b>012043</b>										
	10 R 11	3	377978	<b>012044</b>										
	10 R 12	3	378039	<b>012045</b>										
	10 R 9-1/4	3	379260	<b>◆012042</b>										

Suggestion: For twin installation increase pitch 2".

Key to abbreviations: LL: Light Loads; SB: Sailboat; AL: All Loads; SK: Skiboat; WB: Workboat; HB: Houseboat; CR: Cruisers; HL: Heavy Loads; WD: Weedless

◆ Small Hub Propeller - uses special nut part number 302001



# STERNDRIVE APPLICATIONS

## OMC - OUTBOARD MARINE

### SEA DRIVE® 1982 & NEWER • 4-1/4" GEARCASE

1.6 L V-4 .....1982 & Newer      1.8 L V-4 .....1987 & Newer

For twin installation increase pitch 2".

Boat Length - (MPH)	Diameter			Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#		OEM	Michigan	OEM	Michigan	Di. x Pitch	Blades	RH	LH	Di. x Pitch	Blades	RH	LH
Barges, - HB - (1-18)	14 R 11	3		382761	012047										
26' and Up - (14-28)	14 R 13	3		391668	011001										
22-26' - (24-36)	13-3/4 R 15	3		391198	011002	389949	013028	13-1/4 x 15	3	013076		13-5/8 x 15	3	335030	
19-22' - (30-40)	13-1/4 R 17	3		391199	011003			13-1/4 x 17	3	013077		13-1/2 x 17	3	335031	
19-22' - (30-40)	13-3/8 R 17	3				389948	013030								
19-22' - (30-40)	14 R 17	3		176214	011024										
17-20' - (38-50)	13 R 19	3		390896	011004	389510	013033	13-1/4 x 19	3	013078		13-3/8 x 19	3	335032	
17-20' - (38-50)	14 R 19	3		176215	011025										
15-18' - (44-56)	12-3/4 R 21	3		389788	011005	389512	013034	13-1/4 x 21	3	013079		13-1/8 x 21	3	335033	
15-18' - (44-56)	14 R 21	3		176216	011026										

### SEA DRIVE® 1982 & NEWER • 4-3/4" LARGE GEARCASE

2.0 L V-4 .....1989 & Newer      2.7 L V-6 .....1987 & Newer      3.6 L V-8 .....1987 & Newer

2.5 L V-6 .....1982-87      3.0 L V-6 .....1989 & Newer      4.0 L V-8 .....1989 & Newer

2.6 L V-6 .....1982 & Newer

Following suggestions based on Twin Engines - Deduct 4" pitch for single engine application.

Boat Length - (MPH)	Diameter			Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#		OEM	Michigan	OEM	Michigan	Di. x Pitch	Blades	RH	LH	Di. x Pitch	Blades	RH	LH
Barges, HB - (10-25)	15-1/2 R 13	3		391536	011016										
32-36' Twin - (24-34)	15-1/2 R 15	3		391535	011006										
32-36' Twin - (27-36)	15 R 15	3				174926	013052	14-1/4 x 15	3	013064		14-7/8 x 15	3	345031	
32-36' Twin - (27-36)	15 L 15	3				174927	013051	14-1/4 x 15	3	013065					
30-33' Twin - (30-40)	15 R 17	3		391200	011007	391290	013044	14-1/4 x 17	3	013066		14-3/4 x 17	3	345032	
30-33' Twin - (30-40)	15 L 17	3				431930	013043	14-1/4 x 17	3	013067		14-3/4 x 17	3	345062	
27-30' Twin - (36-47)	14-1/2 R 19	3		391201	011008	389924	013046	14-1/4 x 19	3	013068		14-1/2 x 19	3	345033	
27-30' Twin - (36-47)	14-1/2 L 19	3				390821	013045	14-1/4 x 19	3	013069		14-1/2 x 19	3	345063	
25-28' Twin - (42-54)	14-1/4 R 21	3		391202	011009	389923	013048	14-1/4 x 21	3	013070		14-3/8 x 21	3	345034	
25-28' Twin - (42-54)	14-1/4 L 21	3				390822	013047	14-1/4 x 21	3	013071		14-3/8 x 21	3	345064	
23-25' Twin - (50-62)	14-1/4 R 23	3		391203	011010	389019	013050	14-1/4 x 23	3	013072		14-1/4 x 23	3	345035	
23-25' Twin - (50-62)	14-1/4 L 23	3						14-1/4 x 23	3	013073		14-1/4 x 23	3	345065	
18-22' Twin - (56-68)								14-1/4 x 25	3	013074	013075	14-1/4 x 25	3	345036	

### FOR OMC COBRA® (1994 & NEWER), SX COBRA™, VOLVO PENTA SX™ SEE PAGE

Key to abbreviations: LL: Light Loads; SB: Sailboat; AL: All Loads; SK: Skiboat; WB: Workboat; HB: Houseboat; CR: Cruisers; HL: Heavy Loads; WD: Weedless

▶ LIMITED INVENTORY ITEMS.