

# OUTBOARDS APPLICATIONS



## NISSAN, TOHATSU

### 90-140 HORSEPOWER

90 HP .....1987 & Newer      120 HP .....1988 & Newer      140 HP .....1988 & Newer  
 115 HP .....1992 & Newer

Boat Length/Description	Diameter			Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#		OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
20-24' - AL, SK	13.5 R 14.6	3		3B7-64532-0	<b>142010</b>										
20-24' - AL, SK	13-3/4 R 15	3					<b>103025</b>	13-1/4 x 15	3	<b>103056</b>		13-5/8 x 15	3	335930	
17-19' - AL, SK	13.5 R 15.7	3		3B7-64536-0	<b>142011</b>										
17-19' - AL, SK	13-1/4 R 17	3					<b>103026</b>	13-1/4 x 17	3	<b>103057</b>		13-1/2 x 17	3	335931	
16-18' - AL, SK	12.9 R 17.6	3		3B7-64541-0	<b>142012</b>										
16-18' - AL, SK	13 R 19	3					<b>103027</b>	13-1/4 x 19	3	<b>103058</b>		13-3/8 x 19	3	335932	
15-18' - AL, SK	12.6 R 19.9	3		3B7-64545-0	<b>142013</b>										
15-18' - AL, SK								13-1/4 x 21	3	<b>103059</b>		13-1/8 x 21	3	335933	

## SUZUKI

### 9.9-15 HORSEPOWER

DT 9.9 .....1983-87      DT 15 .....1983-88      DT 15 (4-Stroke) .....1997 & Newer  
 DF 9.9 (4-Stroke) .....1997 & Newer      DT 15C .....1989-97

Boat Length/Description	Diameter			Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#		OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
14-20' - AL	9-1/4 R 7	3		58100-93703-019	<b>062015</b>										
14-18' - AL	9-1/4 R 9	3		58100-93723-019	<b>062016</b>										
14-16' - AL	9-1/4 R 11	3		58100-93743-019	<b>062017</b>										

### 25-30 HORSEPOWER

DT 25C .....1989 & Newer      DT 30, 30C .....1987-97      DF 25 (4-Stroke) .....2000 & Newer  
 DT 20, 25 .....1987-88      DT 30 @ .....1983-86      DF 30 (4-Stroke) .....200 & Newer  
 DT 20, 25 @ .....1983-86

Boat Length/Description	Diameter			Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#		OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
16-18' - AL	10-1/4 R 11	3		58100-96420-019	<b>062012</b>										
16-18' - AL	10-1/4 R 11	3			<b>*061006</b>										
14-16' - AL	10-1/4 R 12	3		58100-96430-019	<b>062013</b>										
14-16' - AL	10-1/4 R 13	3		58100-96440-019	<b>062014</b>							10-1/8 x 13	3	305529	
												10-1/8 x 15	3	305530	

Key to abbreviations: LL: Light Loads; SB: Sailboat; AL: All Loads; SK: Skiboat; WB: Workboat; HB: Houseboat; CR: Cruisers; HL: Heavy Loads; WD: Weedless

★ New Cupped Version.

@ Use stopper 57632-96400



# OUTBOARDS APPLICATIONS



## SUZUKI

### 35-65 HORSEPOWER

DT 35C .....1987-90	DT 55 .....1987-90	DF 40 (4-Stroke) .....1999 & Newer
DT 40 .....1983 & Newer	DT 60 .....1983-84	DF 50 (4-Stroke) .....1999 & Newer
DT 50 & 50M .....1983-84	DT 65 .....1985-97	

Boat Length/Description	Diameter		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#	OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
18-21' - AL	12-1/4 R 10	3	58100-95212-019	<b>032045</b>			10-1/2 x 10	3	<b>033093</b>					
18-21' - AL	12-1/4 R 10	3	58100-95212-019	★ <b>031072</b>										
17-19' - AL	12 R 11	3	58100-95222-019	<b>032044</b>										
17-19' - AL	12 R 11	3	58100-95222-019	★ <b>031073</b>										
16-18' - LL	10-5/8 R 12	3				<b>113001</b>	10-1/2 x 12	3	<b>033094</b>					
15-17' - LL	11-3/4 R 12	3	58100-95393-019	<b>032043</b>										
14-16' - LL	11-1/2 R 13	3	58100-94313-019	<b>032042</b>			10-1/2 x 13	3	<b>033095</b>		10-1/8 x 13	3	<b>395929</b>	
13-15' - LL	10-1/4 R 14	3			58100-94401	<b>113002</b>	10-1/2 x 14	3	<b>033096</b>					
12-14' - LL	11-1/4 R 14	3	58100-95353-019	<b>032041</b>										
12-14' - LL	11 R 15	3	58100-95363-019	<b>032040</b>			10-1/2 x 15	3	<b>033097</b>		10-1/8 x 15	3	<b>395930</b>	
12-14' - LL	10-3/4 R 16	3	58100-95373-019	<b>032039</b>										

### 90-115 HORSEPOWER (4-STROKE)

DF 90 (4-Stroke) .....2001 & Newer	DF 115 (4-Stroke) .....2001 & Newer	DF140 (4-Stroke) .....2002 & Newer
------------------------------------	-------------------------------------	------------------------------------

Boat Length/Description	Diameter		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#	OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
25' - AL	14 R 11	3		<b>101036</b>										
22' - AL	13-5/8 R 13	3		<b>101031</b>										
20-24' - AL, SK	13-1/2 R 15	3		<b>101032</b>										
20-24' - AL, SK	13-3/4 R 15	3			688-45978-60-98	<b>103025</b>	13-1/4 x 15	3	<b>1103056</b>		13-5/8 x 15	3	<b>335930</b>	
17-19' - AL, SK	13-1/4 R 17	3	58100-90J00-019	<b>101033</b>	688-45930-02-98	<b>103026</b>	13-1/4 x 17	3	<b>1103057</b>		13-1/2 x 17	3	<b>335931</b>	
16-18' - AL, SK	13 R 19	3	58100-90J10-019	<b>101034</b>	688-45970-03-9	<b>103027</b>	13-1/4 x 19	3	<b>1103058</b>		13-3/8 x 19	3	<b>335932</b>	
15-18' - AL, SK	12-5/8 R 21	3	58100-90J20-019	<b>101035</b>			13-1/4 x 21	3	<b>1103059</b>		13-1/8 x 21	3	<b>335933</b>	
High Performance									Ballistic 3 XL		13-1/2 x 22	3	<b>335934</b>	
High Performance									Ballistic 3 XL		13-1/2 x 24	3	<b>335935</b>	

### 60-140 HORSEPOWER

DF 60, 70 + (4-Stroke) .....1998 & Newer	DT 85 ++ .....1992 & Newer	DT 100 + .....1989 & Newer
DT 75 ++ .....1992-97	DT 85 # .....1979-91	DT 115, 140 ++ .....1992 & Newer
DT 75 # .....1983-91	DT 90 + .....1989-97	DT 115, 140 # .....1981-91

Boat Length/Description	Diameter		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#	OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
17-19' - AL, SK	13-3/4 R 15	3	58100-95500-019	★ <b>061001</b>	99105-00100-16P	<b>063001</b>	13-1/4 x 15	3	<b>063042</b>		13-5/8 x 15	3	<b>335530</b>	
15-18' - AL, SK	13-1/4 R 17	3	58100-95511-01	★ <b>061002</b>	99105-00100-18P	<b>063002</b>	13-1/4 x 17	3	<b>063043</b>		13-1/2 x 17	3	<b>335531</b>	
14-16' - AL, SK	13 R 19	3	58100-95521-019	★ <b>061003</b>	99105-00101-20P	<b>063003</b>	13-1/4 x 19	3	<b>063044</b>		13-3/8 x 19	3	<b>335532</b>	
14-16' - LL	13 R 21	3	58100-95530-019	★ <b>061004</b>			13-1/4 x 21	3	<b>063045</b>		13-1/8 x 21	3	<b>335533</b>	
High Performance									Ballistic 3 XL		13-1/2 x 22	3	<b>335534</b>	
High Performance									Ballistic 3 XL		13-1/2 x 24	3	<b>335535</b>	

Key to abbreviations: LL: Light Loads; SB: Sailboat; AL: All Loads; SK: Skiboat; WB: Workboat; HB: Houseboat; CR: Cruisers; HL: Heavy Loads; WD: Weedless

- ★ New Cupped Version
- ▶ LIMITED INVENTORY ITEMS.
- ★ If currently using uncupped propeller, use cupped propeller having 2" less pitch. Boats with power trim use same pitch.
- # Requires stopper 57635-95503, Spacer 57633-95501, Lock Washer 09160-18028 (supplied with Engine)
- + Use stopper 57632-87E10, Spacer 57633-95501, Washer 09160-18028
- ++ Use stopper 57635-95510, Spacer 57633-95501, Washer 09160-18028

# OUTBOARDS APPLICATIONS



## SUZUKI

### 150-225 HORSEPOWER

DT 150 .....1986 & Newer      DT 200 .....1986 & Newer      DT 225 .....1990 & Newer  
 DT 175 .....1986 - 92

Boat Length/Description	Diameter		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#	OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
17-19' - AL, SK							14-1/4 x 15	3	▶★063030	▶★063031	14-7/8 x 15	3	345531	
15-18' - AL, SK							14-1/4 x 17	3	▶★063032	▶★063033	14-3/4 x 17	3	345532	345562
14-16' - AL, SK							14-1/4 x 19	3	▶★063034	▶★063035	14-1/2 x 19	3	345533	345563
14-16' - LL							14-1/4 x 21	3	▶★063036	▶★063037	14-3/8 x 21	3	345534	345564
12-14' - LL							14-1/4 x 23	3	▶★063038	▶★063039	14-1/4 x 23	3	345535	345565
12-14' - LL							14-1/4 x 25	3	▶★063040	▶★063041	14-1/4 x 25	3	345536	
High Performance										Ballistic 3 XL	14-1/2 x 22	3	345541	
High Performance										Ballistic 3 XL	14-1/2 x 24	3	345537	
High Performance										Ballistic 3 XL	14-1/2 x 26	3	345538	

### High Performance 4 Blade Propellers

High Performance										Ballistic 4 XL	13-3/4 x 23	4	435535	
High Performance										Ballistic 4 XL	13-3/4 x 25	4	435536	
High Performance										Ballistic 4 XL	13-3/4 x 27	4	435537	

## YAMAHA

### 6-8 HORSEPOWER

6 HP .....1986 & Newer      8 HP .....1986 & Newer

Boat Length/Description	Diameter		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#	OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
General Usage	8-1/2	R 6-1/2	3	6G1-45947-00-EL	<b>102001</b>									
General Usage	8-1/2	R 7-1/2	3	6G1-45943-00-EL	<b>102002</b>									

### 8 HORSEPOWER

8 HP .....1976-83

Boat Length/Description	Diameter		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#	OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
14-16' - AL	8-1/4	R 8	3		<b>012008</b>									
14-16' - LL	8-1/4	R 9	3		<b>012101</b>									

### 9.9-15 HORSEPOWER

9.9 HP .....1984 & Newer      15 HP .....1984 & Newer

Boat Length/Description	Diameter		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#	OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
13-17' - HL	9-1/4	R 8	3	683-45947-00-EL	<b>102003</b>									
12-15' - AL	9-1/4	R 9	3	683-45945-00-EL	<b>102004</b>									
12-15' - AL	9-1/4	R 10-1/2	3	683-45943-00-EL	<b>102005</b>									

Key to abbreviations: LL: Light Loads; SB: Sailboat; AL: All Loads; SK: Skiboat; WB: Workboat; HB: Houseboat; CR: Cruisers; HL: Heavy Loads; WD: Weedless

★ To avoid damage or injury, Trim Tab 55125-87D10 must replace standard trim tab. Use stopper A9500-109 supplied with propeller.

▶ LIMITED INVENTORY ITEMS.