



Allison

Solid	Part Number Split	Taper	Flange Dia.	Shaft Range	# of Bolts	Bolt Size	Bolt Circle	Pilot	Overall Length
---	---	50tc575	5-3/4"	1-1/2"	6	1/2"	4-3/4"	3" x 1/4" F	5"
---	---	50tc575	5-3/4"	1-3/4" - 2-1/4"	6	1/2"	4-3/4"	3" x 1/4" F	6-1/2"
50mc573	---	---	5-3/4"	1-1/2" - 2"	6	1/2"	4-3/4"	3" x 1/4" F	4-1/2"
---	505751	---	5-3/4"	1-1/4" - 2-1/4"	6	1/2"	4-3/4"	3" x 1/4" F	4-3/16"
---	---	50tc725	7-1/4"	1-3/4" - 2-1/2"	6	5/8"	6"	3-3/4" x 1/4" F	7-3/4"
---	50725a	---	7-1/4"	1-1/4" - 1-3/4"	6	5/8"	6"	3-3/4" x 1/4" F	4-3/8"
---	50725b	---	7-1/4"	2" - 2-1/2"	6	5/8"	6"	3-3/4" x 1/4" F	5-1/2"
---	---	50tc900	9"	2" - 3"	8	3/4"	7-1/2"	6" x 1/4" F	7-3/4"
---	509001	---	9"	1-1/2" - 3"	8	3/4"	7-1/2"	6" x 1/4" F	5-1/2"

Atomic Four (Universal)

Solid	Part Number Split	Taper	Flange Dia.	Shaft Range	# of Bolts	Bolt Size	Bolt Circle	Pilot	Overall Length
50mc3500	---	---	3.410"	7/8" - 1-1/8"	3	3/8"	2-3/4"	1-7/8" x 1/4" F	2.437"

Borg Warner

Solid	Part Number Split	Taper	Flange Dia.	Shaft Range	# of Bolts	Bolt Size	Bolt Circle	Pilot	Overall Length
50mc004	---	---	4"	3/4" - 1-1/2"	4	3/8"	3-1/4"	2-1/2" x 3/32" M	2-1/4"
---	50401s	---	4"	1" - 1-1/4"	4	3/8"	3-1/4"	2-1/2" x 3/32" M	2"
---	50400b	---	4"	1" - 1-1/2"	4	3/8"	3-1/4"	2-1/2" x 3/32" M	3-7/16"
50mc005	---	---	5"	1" - 2"	4	7/16"	4-1/4"	2-1/2" x 3/32" M	2-5/8"
50mcf004	---	---	4"	3/4" - 1-1/2"	4	3/8"	3-1/4"	2-1/2" x 3/16" F	2-1/4"
50mcf005	---	---	5"	1" - 1-1/2"	4	7/16"	4-1/4"	2-1/2" x 1/4" F	2-5/8"
---	50500a	---	5"	1" - 1-1/2"	4	7/16"	4-1/4"	2-1/2" x 3/32" M	3-7/16"
---	50500c	---	5"	1-1/2" - 2"	4	7/16"	4-1/4"	2-1/2" x 3/32" M	4"
---	50500s	---	5"	1" - 1-1/2"	4	7/16"	4-1/4"	2-1/2" x 3/32" M	2-1/2"
---	---	50tc500	5"	1-1/4"	4	7/16"	4-1/4"	2-1/2" x 3/32" M	3-7/8"
---	---	50tc500	5"	1-3/8"	4	7/16"	4-1/4"	2-1/2" x 3/32" M	4-1/4"
---	---	50tc500	5"	1-1/2"-1-3/4"	4	7/16"	4-1/4"	2-1/2" x 3/32" M	5"
---	---	50tc005*	5"	1-1/4" - 1-3/4"	4	7/16"	4-1/4"	2-1/2" x 3/32" M	2-3/4"
---	---	50tc575	5-3/4"	1-1/2"	6	1/2"	4-3/4"	3" x 1/4" F	5"
---	---	50tc575	5-3/4"	1-3/4" - 2-1/4"	6	1/2"	4-3/4"	3" x 1/4" F	6-1/2"
50mc573	---	---	5-3/4"	1-1/2" - 2"	6	1/2"	4-3/4"	3" x 1/4" F	4-1/2"
---	505751	---	5-3/4"	1-1/4" - 2-1/4"	6	1/2"	4-3/4"	3" x 1/4" F	4-3/16"

* Reverse Taper Bore

F

SHAFTING & ACCESSORIES

Transmission Couplers



Capitol

Solid	Part Number Split	Taper	Flange Dia.	Shaft Range	# of Bolts	Bolt Size	Bolt Circle	Pilot	Overall Length
---	50475a	---	4-3/4"	1" -1-1/2"	6	7/16"	3-7/8"	2-1/2" x 3/16" F	3-1/2"
---	50475b	---	4-3/4"	1-1/2" - 2"	6	7/16"	3-7/8"	2-1/2" x 3/16" F	4"
50mc4725	---	---	4-3/4"	1-1/4" - 1-1/2"	6	7/16"	3-7/8"	2-1/2" x 3/16" F	3-5/8"
---	---	50tc475	4-3/4"	1-3/8" - 1-3/4"	6	7/16"	3-7/8"	2-1/2" x 3/16" F	4-3/16"
---	---	50tc575	5-3/4"	1-1/2"	6	1/2"	4-3/4"	3" x 1/4" F	5"
---	---	50tc575	5-3/4"	1-3/4" - 2-1/4"	6	1/2"	4-3/4"	3" x 1/4" F	6-1/2"
50mc573	---	---	5-3/4"	1-1/2" - 2"	6	1/2"	4-3/4"	3" x 1/4" F	4-1/2"
---	505751	---	5-3/4"	1-1/4" - 2-1/4"	6	1/2"	4-3/4"	3" x 1/4" F	4-3/16"
---	---	50tc725	7-1/4"	1-3/4" - 2-1/2"	6	5/8"	6"	3-3/4" x 1/4" F	7-3/4"
---	50725a	---	7-1/4"	1-1/4" - 1-3/4"	6	5/8"	6"	3-3/4" x 1/4" F	4-3/8"
---	50725b	---	7-1/4"	2" - 2-1/2"	6	5/8"	6"	3-3/4" x 1/4" F	5-1/8"

Hurth

Solid	Part Number Split	Taper	Flange Dia.	Shaft Range	# of Bolts	Bolt Size	Bolt Circle	Pilot	Overall Length
50mc004	---	---	4"	3/4" - 1-1/2"	4	3/8"	3-1/4"	2-1/2" x 3/32" M	2-1/4"
---	50401s	---	4"	1" - 1-1/4"	4	3/8"	3-1/4"	2-1/2" x 3/32" M	2"
---	50400b	---	4"	1" - 1-1/2"	4	3/8"	3-1/4"	2-1/2" x 3/32" M	3-7/16"
50mc005	---	---	5"	1" - 2"	4	7/16"	4-1/4"	2-1/2" x 3/32" M	2-5/8"
---	50500a	---	5"	1" - 1-1/2"	4	7/16"	4-1/4"	2-1/2" x 3/32" M	3-7/16"
---	50500c	---	5"	1-1/2" - 2"	4	7/16"	4-1/4"	2-1/2" x 3/32" M	4"
---	---	50tc500	5"	1-1/4"	4	7/16"	4-1/4"	2-1/2" x 3/32" M	3-7/8"
---	---	50tc500	5"	1-3/8"	4	7/16"	4-1/4"	2-1/2" x 3/32" M	4-1/4"
---	---	50tc500	5"	1-1/2"-1-3/4"	4	7/16"	4-1/4"	2-1/2" x 3/32" M	5"

Newage

Solid	Part Number Split	Taper	Flange Dia.	Shaft Range	# of Bolts	Bolt Size	Bolt Circle	Pilot	Overall Length
50mc005	---	---	5"	1" - 2"	4	7/16"	4-1/4"	2-1/2" x 3/32" M	2-5/8"
---	50500a	---	5"	1" - 1-1/2"	4	7/16"	4-1/4"	2-1/2" x 3/32" M	3-7/16"
---	50500c	---	5"	1-1/2" - 2"	4	7/16"	4-1/4"	2-1/2" x 3/32" M	4"
---	---	50tc500	5"	1-1/4"	4	7/16"	4-1/4"	2-1/2" x 3/32" M	3-7/8"
---	---	50tc500	5"	1-3/8"	4	7/16"	4-1/4"	2-1/2" x 3/32" M	4-1/4"
---	---	50tc500	5"	1-1/2"-1-3/4"	4	7/16"	4-1/4"	2-1/2" x 3/32" M	5"
---	---	50tc575	5-3/4"	1-1/2"	6	1/2"	4-3/4"	3" x 1/4" F	5"
---	---	50tc575	5-3/4"	1-3/4" - 2-1/4"	6	1/2"	4-3/4"	3" x 1/4" F	6-1/2"
50mc573	---	---	5-3/4"	1-1/2" - 2"	6	1/2"	4-3/4"	3" x 1/4" F	4-1/2"
---	505751	---	5-3/4"	1-1/4" - 2-1/4"	6	1/2"	4-3/4"	3" x 1/4" F	4-3/16"
---	---	50tc725	7-1/4"	1-3/4" - 2-1/2"	6	5/8"	6"	3-3/4" x 1/4" F	7-3/4"
---	50725a	---	7-1/4"	1-1/4" - 1-3/4"	6	5/8"	6"	3-3/4" x 1/4" F	4-3/8"
---	50725b	---	7-1/4"	2" - 2-1/2"	6	5/8"	6"	3-3/4" x 1/4" F	5-1/8"



Paragon

Solid	Part Number Split	Taper	Flange Dia.	Shaft Range	# of Bolts	Bolt Size	Bolt Circle	Pilot	Overall Length
---	50400a	---	4"	1" - 1-1/2"	4	3/8"	3-1/4"	2" X 3/32" M	3-7/16"
---	50400s	---	4"	1" - 1-1/4"	4	3/8"	3-1/4"	2" X 3/32" M	2"
50mc4020	---	---	4"	3/4" - 1-3/8"	4	3/8"	3-1/4"	2" X 3/32" M	2-1/4"
---	50400c	---	4"	1" - 1-1/2"	4	3/8"	3-1/4"	2-5/8" X 3/32" M	3-7/16"
---	50402s	---	4"	1" - 1-1/4"	4	3/8"	3-1/4"	2-5/8" X 3/32" M	2"
50mc4026	---	---	4"	3/4" - 1-3/8"	4	3/8"	3-1/4"	2-5/8" X 3/32" M	2-1/4"
50mc4526	---	---	4-1/2"	1" - 1-3/4"	4	3/8"	3-3/4"	2-5/8" X 3/32" M	2-5/8"
---	50500b	---	5"	1" - 1-1/2"	4	3/8"	4-1/8"	2-3/4" X 3/32" M	3-7/16"
---	50500d	---	5"	1-1/2" - 2"	4	3/8"	4-1/8"	2-3/4" X 3/32" M	4"
---	50501s	---	5"	1" - 1-1/2"	4	3/8"	4-1/8"	2-3/4" X 3/32" M	2-1/2"
50mc5022	---	---	5"	1" - 1-3/4"	4	3/8"	4-1/8"	2-1/4" X 3/32" M	2-5/8"
50mc5027	---	---	5"	1" - 1-3/4"	4	3/8"	4-1/8"	2-3/4" X 3/32" M	2-5/8"

Twin Disc

Solid	Part Number Split	Taper	Flange Dia.	Shaft Range	# of Bolts	Bolt Size	Bolt Circle	Pilot	Overall Length
---	50475a	---	4-3/4"	1" - 1-1/2"	6	7/16"	3-7/8"	2-1/2" x 3/16" F	3-1/2"
---	50475b	---	4-3/4"	1-1/2" - 2"	6	7/16"	3-7/8"	2-1/2" x 3/16" F	4"
50mc4725	---	---	4-3/4"	1-1/4" - 1-1/2"	6	7/16"	3-7/8"	2-1/2" x 3/16" F	3-5/8"
---	---	50tc475	4-3/4"	1-3/8" - 1-3/4"	6	7/16"	3-7/8"	2-1/2" x 3/16" F	4-3/16"
--	50501a	---	5"	1" - 1-1/2"	8	3/8"	4-1/8"	2-1/2" x 3/32" M	3-7/16"
---	---	50tc501	5"	1-1/4" - 1-3/4"	8	3/8"	4-1/4"	2-1/2" x 3/32" M	5-3/32"
---	505752	---	5-3/4"	1-1/4" - 2-1/4"	6	5/8"	4-3/4"	3" x 1/4" F	4-3/16"
50mc574	---	---	5-3/4"	1-1/2" - 2"	6	5/8"	4-3/4"	3" x 1/4" F	4-1/2"
---	---	50tc576	5-3/4"	1-1/2"	6	5/8"	4-3/4"	3" x 1/4" F	5"
---	---	50tc576	5-3/4"	1-3/4" - 2-1/4"	6	5/8"	4-3/4"	3" x 1/4" F	6-1/2"
---	50726a	---	7-1/4"	1-1/4" - 1-3/4"	6	3/4"	6"	3-3/4" x 1/4" F	4-3/8"
---	50726b	---	7-1/4"	2" - 2-1/2"	6	3/4"	6"	3-3/4" x 1/4" F	5-1/8"
---	---	50tc726	7-1/4"	1-3/4" - 2-1/2"	6	5/8"	6"	3-3/4" x 1/4" F	7-3/4"
---	---	50tc901	9"	2" - 3"	8	7/8"	7-1/2"	6" x 1/4" F	7-3/4"
---	509002	---	9"	1-1/2" - 3"	8	7/8"	7-1/2"	6" x 1/4" F	5-1/2"
---	501050	---	10-1/2"	2-1/2" - 4"	8	1"	8-3/4"	5" x 1/4" F	6-1/2"
---	---	50tc1050	10-1/2"	2-1/2" - 4"	8	1"	8-3/4"	5" x 1/4" F	8"

Volvo Penta

Solid	Part Number Split	Taper	Flange Dia.	Shaft Range	# of Bolts	Bolt Size	Bolt Circle	Pilot	Overall Length
50mvp400	---	---	3.945"	3/4" - 1-1/4"	4	10mm	3.142"	2.366" x 3/32" F	2-17/32"

Transmission Couplers



Yanmar

Solid	Part Number		Flange Dia.	Shaft Range	# of Bolts	Bolt Size	Bolt Circle	Pilot	Overall Length
	Split	Taper							
---	50400ys	---	4"	3/4" - 1-1/4"	4	10mm	3.070"	1.966" x 5/32" M	2"
50mcy004	---	---	4"	3/4" - 1-3/8"	4	10mm	3.070"	1.966" x 5/32" M	2-1/4"
---	50500ys	---	4-3/4"	1" - 1-1/2"	4	10mm	3.937"	2.556" x 1/8" M	3-7/16"
50mcy005	---	---	4-3/4"	1" - 1-3/4"	4	10mm	3.937"	2.556" x 1/8" M	2-3/8"
50mcy4Lh	---	---	5.120"	1" - 1-1/2"	4	10mm	4-1/4"	2.499" x 3/16" M	3-29/32"

ZF

Solid	Part Number		Flange Dia.	Shaft Range	# of Bolts	Bolt Size	Bolt Circle	Pilot	Overall Length
	Split	Taper							
---	50476a	---	4-3/4"	1" - 1-1/2"	6	12mm	3-7/8"	2-1/2" x 3/16" F	3-1/2"
---	50476b	---	4-3/4"	1-1/2" - 2"	6	12mm	3-7/8"	2-1/2" x 3/16" F	4"
50mc4726	---	---	4-3/4"	1-1/4" - 1-1/2"	6	12mm	3-7/8"	2-1/2" x 3/16" F	3-5/8"
---	---	50tc476	4-3/4"	1-3/8" - 1-3/4"	6	12mm	3-7/8"	2-1/2" x 3/16" F	4-3/16"
50mc574	---	---	5-3/4"	1-1/2" - 2"	6	16mm	4-3/4"	3" x 1/4" F	4-1/2"
---	505752	---	5-3/4"	1-1/4" - 2-1/4"	6	5/8"	4-3/4"	3" x 1/4" F	4-3/16"
---	---	50tc576	5-3/4"	1-1/2"	6	5/8"	4-3/4"	3" x 1/4" F	5"
---	---	50tc576	5-3/4"	1-3/4" - 2-1/4"	6	5/8"	4-3/4"	3" x 1/4" F	6-1/2"
---	50610b	---	6.10"	1-3/4" - 2-1/2"	10	5/8"	4.921"	3.94" x .215" F	5"
---	---	50tc610	6.10"	2" - 2-1/4"	10	5/8"	4.921"	3.94" x .215" F	6-1/2"
---	50669	---	6.69"	1-3/4" - 2-1/2"	12	16mm	5.512"	4.530" x 9/32" F	5"
---	---	50tc669	6.69"	2"	12	16mm	5.512"	4.530" x 9/32" F	6-1/2"
---	---	50tc669	6.69"	2-1/4" - 3"	12	16mm	5.512"	4.530" x 9/32" F	7-1/2"
---	---	50tc725g	7.283"	2" - 2-1/4"	12	18mm	6.122"	4.725" x 9/32" F	6-1/2"
---	---	50tc725g	7.283"	2-1/2" - 3"	12	18mm	6.122"	4.725" x 9/32" F	7-1/2"
---	50886	---	8.86"	2" - 2-1/2"	8	16mm	7.717"	5.514" x 1/4" F	5-1/2"
---	---	50tc886	8.86"	2" - 4"	8	16mm	7.717"	5.514" x 1/4" F	7-3/4"
---	501050	---	10-1/2"	2-1/2" - 4"	8	1"	8-3/4"	5" x 1/4" F	6-1/2"
---	---	50tc1050	10-1/2"	2-1/4" - 4"	8	1"	8-3/4"	5" x 1/4" F	8"

Miscellaneous

Solid	Part Number		Flange Dia.	Shaft Range	# of Bolts	Bolt Size	Bolt Circle	Pilot	Overall Length
	Split	Taper							
---	50400d	---	4"	1-1/2"	8	3/8"	3-1/4"	2" x 3/16" F	3-3/8"