


Instructions



Electronic Unit for BD35/BD50F Compressors, 101N0500, 12/24V DC & 100-240V AC 50/60Hz



protection settings DC Fig. 4

protootioi	loottingo	50 Hig. 4	e e			
Resistor	12V cut-out	12V cut-in	12V max.	24V cut-out	24V cut-in	24V max.
(9) kΩ	V	V	Voltage	V	V	Voltage
0	9.6	10.9	17.0	21.3	22.7	31.5
1.6	9.7	11.0	17.0	21.5	22.9	31.5
2.4	9.9	11.1	17.0	21.8	23.2	31.5
3.6	10.0	11.3	17.0	22.0	23.4	31.5
4.7	10.1	11.4	17.0	22.3	23.7	31.5
6.2	10.2	11.5	17.0	22.5	23.9	31.5
8.2	10.4	11.7	17.0	22.8	24.2	31.5
11	10.5	11.8	17.0	23.0	24.5	31.5
14	10.6	11.9	17.0	23.3	24.7	31.5
18	10.8	12.0	17.0	23.6	25.0	31.5
24	10.9	12.2	17.0	23.8	25.2	31.5
33	11.0	12.3	17.0	24.1	25.5	31.5
47	11.1	12.4	17.0	24.3	25.7	31.5
82	11.3	12.5	17.0	24.6	26.0	31.5
220	9.6	10.9				31.5

ф

ENGLISH

The electronic unit is a multi voltage device. It can be used in both 12V/24V DC and 100-240V AC 50/60Hz power supply systems. Max. voltage is 17V DC for a 12V DC system and 31.5V DC for a 24V DC power supply system. Max. voltage is 265V AC and min. 85V AC for an AC power supply system. Max. ambient temperature is 55°C. The electronic unit has a built-in thermal protection which is actuated and stops the compressor operation if the electronic unit temperature becomes too high (100°C / 212°F on the PCB). **Power consumption is limited to 100W.** See datasheet BD50F for details.

Installation (Fig. 1)

Connect the terminal plug from the electronic unit to the compressor terminal. Mount the electronic unit on the compressor by snapping the cover over the screw head (1).

Power supply (Fig. 1)

<u>DC</u>: The electronic unit must always be connected directly to the battery poles (2). Connect the plus to + and the minus to -, otherwise the electronic unit will not work. The electronic unit is protected against reverse battery connection.

For protection of the installation, a fuse (3) must be mounted in the + cable as close to the battery as possible. It is recommended to use 15A fuses for 12V and 7.5A fuses for 24V circuits. If a main switch (4) is used, it should be rated to a current of min. 20A. The wire dimensions in **Fig. 2** must be observed. Avoid extra junctions in the power supply system to prevent voltage drop from affecting the battery protection setting.

<u>AC</u>: The wires must be connected to the terminal marked L and N on the electronic unit. Nominal voltages from 100 to 240 VAC 50/60Hz. Upper safety cut-out limit = 270V AC and lower limit 80V AC. A 4A fuse (11) must be mounted in the live

(L) cable to protect the installation.

If a main switch (12) is used, it should be rated to a current of min. 6A. The wire dimensions must be min. 0.75 mm² or AWG 18.

NB: Earth connection can be used if required. General: Both the AC and the DC power supply can be connected to the electronic unit at the same time. In this case, AC will be preferred power supply source. If the AC power supply is disconnected or drop below 85V AC on a **12V DC supply system**, a time delay of 1 min. will be activated before the compressor continues on DC power supply. If AC power supply is re-established there will be no delay in compressor operation.

Battery protection (Fig. 1)

The compressor stops and restarts again according to the designated voltage limits measured on the + and - terminals of the electronic unit.

The standard settings for 12V and 24V power supply systems appear from Fig. 3.

Other settings are optional if a connection which includes a resistor (9) is established between terminals **C** and **P**. See manual.

Thermostat (Fig. 1)

The thermostat (7) is connected between the terminals **C** and **T**. Without any resistor in the control circuit, the compressor will run with a fixed speed of **2,000 rpm** when the thermostat is switched on. Other fixed compressor speeds in the range between 2,000 and 3,500 rpm can be obtained when a resistor (8) is installed to adjust the current (mA) of the control circuit. Resistor values for various motor speeds appear from **Fig. 5**.

Fan (optional, Fig. 1)

A fan (5) can be connected between the terminals + and F. Connect the plus to + and the minus to F. Since the output voltage between the terminals + and F is always regulated to 12V,

a 12V fan must be used for both 12V and 24V power supply systems.

Wire dimensions DC

Size AWG Cross section		Max le 12V opera		Max length* 24V DC operation		
Gauge	mm ²	ft. m		ft.	m	
12	2.5	8	2.5	16	5	
12	4	13	4	26	8	
10	6	20	6	39	12	
8	10	33	10	66	20	

Fig. 2 *Length between battery and electronic unit

Wire dimensions AC

Cross section min. 0.75 mm² or AWG 18

Standard battery protection settings DC

	-	-						
12V cut-out	12V cut-in	24V cut-out	24V cut - in					
V	V	V	V					
10.4	11.7	22.8	24.2					
Fig. 3								
Compressor speed								

Compressor speed

Electronic	Resistor	Motor	Contr.circ.
unit	(8) Ω	speed	current
	(calculated)	rpm	mA
0	0	2,000	5
101110500	277	2,500	4
.0114	692	3,000	3
N*	1523	3,500	2

The fan output can supply a continuous current of $\mathbf{0.5A}_{\mbox{\tiny eq}}$. A higher current draw is allowed for 2 seconds during start.


Lamp (optional, Fig. 1)

A 12V DC 5 Watt lamp (10) can be connected between the terminals A and C. The output voltage between the terminals A and C is always regulated to 12V DC. A 12V DC lamp must be used for both 12V and 24V power supply systems. The lamp output can supply a continuous current of $0.5A_{\rm em}$.

LED (optional, Fig. 1)

A 10mA light emitting diode (LED) (6) can be connected between the terminals + and **D**. If the electronic unit records an operational error, the diode will flash a number of times. The number of flashes depends on what kind of operational error was recorded. Each flash will last ¼ second. After the actual number of flashes there will be a delay with no flashes, so that the sequence for each error recording is repeated every 4 seconds.

Number of flashes	Error type
5	Thermal cut-out of electronic unit (If the refrigeration system has been too heavily loaded or if the ambient temperature is high, the electronic unit will run too hot).
4	Minimum motor speed error (If the refrigeration system is too heavily loaded, the motor cannot maintain minimum speed 1,850 rpm).
3	Motor start error (The rotor is blocked or the differential pressure in the refrigeration system is too high (>5 bar)).
2	Fan over-current cut-out (The fan loads the electronic unit with more than $1A_{peak}$).
1	Battery protection cut-out (The voltage is outside the cut-out setting).



Instructions

Electronic Units for BD Compressors

Danfoss

VDE/UL Approvals for BD Compressors

Approved Compressor - Electronic Unit Combinations

Compressors		Electronic Units							
		Standard	EMI	High start	High speed	AEO	AEO EMI		
		101N0210	101N0220	101N0230	101N0290	101N0300	101N0320		
BD35F mm	101Z0200	UL	UL			UL			
BD35F inch	101Z0204	UL	UL			UL			
BD35K (R600a)	101Z0211								
BD50F mm	101Z1220	UL	UL	UL		UL			
BD50F inch	101Z0203	UL	UL	UL		UL			
BD80F mm	101Z0280								
BD250GH	101Z0400								
BD250GH Twin	101Z0500								
BD100CN (R290)	101Z0401								

Compressors		Electronic Units							
		Solar	AC/DC converter	Automotive	Automotive	Telecommunication	Extended EMI		
		101N0400	101N0500	101N0600	101N0630	101N0730	101N0900		
BD35F mm	101Z0200	UL	VDE/UL						
BD35F inch	101Z0204	UL	VDE/UL						
BD35K (R600a)	101Z0211								
BD50F mm	101Z1220		VDE/UL						
BD50F inch	101Z0203		VDE/UL						
BD250GH (48V)	101Z0402					UL			

VDE/UL

= Combination possible, VDE or UL approval

= Combination possible, but no approval

= Combination not possible

Danfoss can accept no responsibility for possible errors in catalogues, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without subsequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.