

OUTBOARDS APPLICATIONS



SUZUKI

150-225 HORSEPOWER

DT 1501986 & Newer DT 2001986 & Newer DT 2251990 & Newer
 DT 1751986 - 92

Boat Length/Description	Diameter		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#	OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
17-19' - AL, SK							14-1/4 x 15	3	▶★063030	▶★063031	14-7/8 x 15	3	345531	
15-18' - AL, SK							14-1/4 x 17	3	▶★063032	▶★063033	14-3/4 x 17	3	345532	345562
14-16' - AL, SK							14-1/4 x 19	3	▶★063034	▶★063035	14-1/2 x 19	3	345533	345563
14-16' - LL							14-1/4 x 21	3	▶★063036	▶★063037	14-3/8 x 21	3	345534	345564
12-14' - LL							14-1/4 x 23	3	▶★063038	▶★063039	14-1/4 x 23	3	345535	345565
12-14' - LL							14-1/4 x 25	3	▶★063040	▶★063041	14-1/4 x 25	3	345536	
High Performance										Ballistic 3 XL	14-1/2 x 22	3	345541	
High Performance										Ballistic 3 XL	14-1/2 x 24	3	345537	
High Performance										Ballistic 3 XL	14-1/2 x 26	3	345538	

High Performance 4 Blade Propellers

High Performance										Ballistic 4 XL	13-3/4 x 23	4	435535	
High Performance										Ballistic 4 XL	13-3/4 x 25	4	435536	
High Performance										Ballistic 4 XL	13-3/4 x 27	4	435537	

YAMAHA

6-8 HORSEPOWER

6 HP1986 & Newer 8 HP1986 & Newer

Boat Length/Description	Diameter		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#	OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
General Usage	8-1/2	R 6-1/2	3	6G1-45947-00-EL	102001									
General Usage	8-1/2	R 7-1/2	3	6G1-45943-00-EL	102002									

8 HORSEPOWER

8 HP1976-83

Boat Length/Description	Diameter		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#	OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
14-16' - AL	8-1/4	R 8	3		012008									
14-16' - LL	8-1/4	R 9	3		012101									

9.9-15 HORSEPOWER

9.9 HP1984 & Newer 15 HP1984 & Newer

Boat Length/Description	Diameter		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#	OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
13-17' - HL	9-1/4	R 8	3	683-45947-00-EL	102003									
12-15' - AL	9-1/4	R 9	3	683-45945-00-EL	102004									
12-15' - AL	9-1/4	R 10-1/2	3	683-45943-00-EL	102005									

Key to abbreviations: LL: Light Loads; SB: Sailboat; AL: All Loads; SK: Skiboat; WB: Workboat; HB: Houseboat; CR: Cruisers; HL: Heavy Loads; WD: Weedless

★ To avoid damage or injury, Trim Tab 55125-87D10 must replace standard trim tab. Use stopper A9500-109 supplied with propeller.

▶ LIMITED INVENTORY ITEMS.

OUTBOARDS APPLICATIONS



YAMAHA

15-28 HORSEPOWER

15 A & W15 HP1976-83 25 HP 2 Cyl.1977-79 28 HP1976-78
 20 HP1976-78
 (PIN DRIVE)

Boat Length/Description	Diameter		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#	OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
HB, SB	9-1/4	R 7 3	650-45943-01-36	012102										
12-14' - HL	9	R 10 3	651-45947-00-36	012011										
12-14' - AL	9-1/4	R 11 3	653-45941-01-36	012013										
12-14' - LL	9-1/4	R 12 3		012010										

20-30 HORSEPOWER

20 HP1996-97 25 HP (4-Stroke)2001 30 HP1979 & Newer
 25 HP1980 & Newer 30 HP (4-Stroke)2001
 (FLOW-THRU EXHAUST)

Boat Length/Description	Diameter		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#	OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
16-18' - AL, SK	9-7/8	R 9 3	664-45941-01-EL	022001										
16-18' - AL, SK	9-7/8	R 9 3		★021001										
14-17' - AL, SK	9-7/8	R 10-1/2 3	664-45945-00-EL	022002										
13-16' - LL	9-3/8	R 12 3	664-45954-00-EL	022003										
14-17' - General Use											10-1/8 x 13	3	305929	
13-15' - General Use											10-1/8 x 15	3	305930	

40-60 HORSEPOWER

40 HP1984 & Newer 55 HP1976-95 FS 40 (4-Stroke)1999 & Newer
 48 HP1995 & Newer 60 HP1976-91 FS 50 (4-Stroke)1995 & Newer
 50 HP (not T50)1984 & Newer

Boat Length/Description	Diameter		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#	OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
19-22' - LL	12-1/8	R 9 3	663-45956-01-EL	102016										
19-22' - LL	12-1/4	R 10 3		032045			10-1/2 x 10	3	033093					
19-22' - LL	12-1/4	R 10 3		★031072										
17-19' - AL, SK	12	R 11 3	663-45947-02-EL	032044										
17-19' - AL, SK	12	R 11 3		★031073										
15-18' - AL, SK	10-5/8	R 12 3			663-45972-60-98	113001	10-1/2 x 12	3	033094					
16-17' - AL, SK	11-3/4	R 12 3	6H5-45952-00-EL	032043										
14-16' - AL, SK	11-1/2	R 13 3	6H5-45945-00-EL	032042			10-1/2 x 13	3	033095		10-1/8 x 13	3	395929	
13-15' - LL	10-1/4	R 14 3			663-45930-00-98	113002	10-1/2 x 14	3	033096					
12-14' - LL	11-1/4	R 14 3	663-45958-01-EL	032041										
12-14' - LL	11	R 15 3	6H5-45943-00-EL	032040			10-1/2 x 15	3	033097		10-1/8 x 15	3	395930	
12-14' - LL	10-3/4	R 16 3	663-45949-01-EL	032039										

Key to abbreviations: LL: Light Loads; SB: Sailboat; AL: All Loads; SK: Skiboat; WB: Workboat; HB: Houseboat; CR: Cruisers; HL: Heavy Loads; WD: Weedless

★ New Cupped Version

▶ LIMITED INVENTORY ITEMS.

OUTBOARDS APPLICATIONS



YAMAHA

50-130 HORSEPOWER

T50 HP1996 & Newer	80 HP1997	130 HP1984 & Newer
60 HP1992 & Newer	85 HP1991-97	FS 80 (4-Stroke)1999 & Newer
70 HP1984 & Newer	90 HP1984 & Newer	FS 100 (4-Stroke)1999 & Newer
75 HP1994 & Newer	115 HP1984 & Newer	FS 115 (4-Stroke)2000 & Newer

Boat Length/Description	Diameter			Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#		OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
25' - AL	14 R 11	3		6E5-45954-00-EL	101036										
22' - AL	13-5/8 R 13	3		6E5-45949-00-EL	101031										
20-24' - AL, SK	13-1/2 R 15	3		6E5-45947-00-EL	101032										
20-24' - AL, SK	13-3/4 R 15	3				688-45978-60-98	103025	13-1/4 x 15	3		103056	13-5/8 x 15	3	335930	
17-19' - AL, SK	13-1/4 R 17	3		6E5-45945-01-EL	101033	688-45930-02-98	103026	13-1/4 x 17	3		103057	13-1/2 x 17	3	335931	
16-18' - AL, SK	13 R 19	3		6E5-45941-00-EL	101034	688-45970-03-98	103027	13-1/4 x 19	3		103058	13-3/8 x 19	3	335932	
15-18' - AL, SK	12-5/8 R 21	3		6E5-45943-00-EL	101035			13-1/4 x 21	3		103059	13-1/8 x 21	3	335933	
High Performance												Ballistic 3 XL	13-1/2 x 22	3	335934
High Performance												Ballistic 3 XL	13-1/2 x 24	3	335935

80-140 HORSEPOWER

80, 90, 115 HP1978-83	80 HP1977 See Mercury section on page 42 for available propellers.
140 HP1978-79	

Boat Length/Description	Diameter			Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#		OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
25' and Up - AL	14 R 11	3			031054										
22' and Up - AL	14 R 13	3			031055										
20-24' - AL, SK	13-3/4 R 15	3			031041		033016	13-1/4 x 15	3		033084	13-5/8 x 15	3	335130	
17-19' - AL, SK	13-1/4 R 17	3			031042		033017	13-1/4 x 17	3		033085	13-1/2 x 17	3	335131	
16-18' - AL, SK	13 R 19	3			031043		033018	13-1/4 x 19	3		033086	13-3/8 x 19	3	335132	
15-18' - AL, SK	12-3/4 R 21	3			031044		033019	13-1/4 x 21	3		033087	13-1/8 x 21	3	335133	
14-16' - AL, SK	12-1/2 R 23	3			031045										
High Performance												Ballistic 3 XL	13-1/2 x 22	3	335134
High Performance												Ballistic 3 XL	13-1/2 x 24	3	335135

150-175 HORSEPOWER

150 HP1979-83	175 HP1978-79	175 HP (DI & VMAX)2001
---------------------	---------------------	------------------------------

Boat Length/Description	Diameter			Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#		OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
CR, HB	16 R 11	3			031021										
CR, HB	16 R 13	3			031022										
20-24' - AL, SK	15-1/4 R 15	3			031023										
20-22' - AL, SK	14-1/2 R 15	3					033002	14-1/4x 15	3		033072	033073	14-7/8 x 15	3	345131
19-21' - AL, SK	14-1/2 R 17	3			031024		033003	14-1/4 x 17	3		033074	033075	14-3/4 x 17	3	345132 345162
18-20' - AL, SK	14 R 19	3			031025		033004	14-1/4 x 19	3		033076	033077	14-1/2 x 19	3	345133 345163
18-19' - AL, SK	13-3/4 R 21	3			031026		033005	14-1/4 x 21	3		033078	033079	14-3/8 x 21	3	345134 345164
17-19' - AL, SK	13-1/2 R 23	3			031027		033006	14-1/4 x 23	3		033080	033081	14-1/4 x 23	3	345135 345165
17-18' - AL, SK	13-3/8 R 25				031067			14-1/4 x 25	3		033082	033083	14-1/4 x 25	3	345136

Key to abbreviations: LL: Light Loads; SB: Sailboat; AL: All Loads; SK: Skiboat; WB: Workboat; HB: Houseboat; CR: Cruisers; HL: Heavy Loads; WD: Weedless

▶ LIMITED INVENTORY ITEMS.

Standard Inboard Motor Applications

OUTBOARDS APPLICATIONS



YAMAHA

150-250 HORSEPOWER

150 HP1986 & Newer	220 HP (Special)1984-85	250 HP (VMAX)2001
175 HP1984 & Newer	225 HP (Excel)1987-88	F200 (4-Stroke)2002
200 HP1984 & Newer	225 HP1986 & Newer	F225 (4-Stroke)2002
200 HP (VMAX)2001	250 HP1990 & Newer	

Boat Length/Description	Diameter		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless				Ballistic High Performance Stainless			
	Rot. & Pitch	Blade#	OEM	Michigan	OEM	Michigan	Di. x Pitch	Blades	RH	LH	Di. x Pitch	Blades	RH	LH
20-22' - AL, SK	15-1/4 R 15	3	6G5-45941-00-98	101025			14-1/4 x 15	3	103044	103045	14-7/8 x 15	3	345931	
20-21' - AL, SK	14-5/8 R 16	3	6G5-45952-00-98	101026										
19-21' - AL, SK	14-1/2 R 17	3	6G5-45947-01-98	101027	6G5-45978-03-98	103018	14-1/4 x 17	3	103046	103047	14-3/4 x 17	3	345932	345962
18-20' - AL, SK	14 R 19	3	6G5-45945-01-98	101028	6G5-45974-03-98	103020	14-1/4 x 19	3	103048	103049	14-1/2 x 19	3	345933	345963
18-20' - AL, SK	13-3/4 R 21	3	6H5-45943-01-98	101029	6G5-45972-02-98	103022	14-1/4 x 21	3	103050	103051	14-3/8 x 21	3	345934	345964
18-19' - AL, SK	13-1/2 R 23	3	6G5-45949-00-98	101030			14-1/4 x 23	3	103052	103053	14-1/4 x 23	3	345935	345965
Up to 18' - AL, SK							14-1/4 x 25	3	103054	103055	14-1/4 x 25	3	345936	
High Performance										Ballistic 3 XL	14-1/2 x 22	3	345941	
High Performance										Ballistic 3 XL	14-1/2 x 24	3	345937	
High Performance										Ballistic 3 XL	14-1/2 x 26	3	345938	

High Performance 4 Blade Propellers

High Performance										Ballistic 4 XL	13-3/4 x 23	4	435935
High Performance										Ballistic 4 XL	13-3/4 x 25	4	435936
High Performance										Ballistic 4 XL	13-3/4 x 27	4	435937

Key to abbreviations: LL: Light Loads; SB: Sailboat; AL: All Loads; SK: Skiboat; WB: Workboat; HB: Houseboat; CR: Cruisers; HL: Heavy Loads; WD: Weedless

▶ LIMITED INVENTORY ITEMS.

GO BALLISTIC!

High Caliber Performance For Less!



Power and Control for High Performance Boats

3-blade Ballistic-XL props provide peak top end speed for bass boats and high performance hulls. Advanced rake provides bow lift for reduced hull drag. Enhanced cup design reduces cavitation when the engine is trimmed high for extra bow lift. This combination of rake and cup yields incredible efficiency and speed.

4-blade Ballistic-XL props have the same combination of advanced rake and enhanced cup for less drag and higher efficiency. In addition, the 4-blade XL props deliver better "hole shot" for faster planing. They also produce less steering torque and vibration at higher speeds.

