

TUFF COAT

RUBBERIZED NON-SKID COATINGS



TUFF COAT

RUBBERIZED NON-SKID COATINGS

APPLY DOWN TO 40°F
CHEMICAL & UV RESISTANT
WATER-BASED, DURABLE, FLEXIBLE
EXCELLENT FOR FIBERGLASS, WOOD & METAL

MARINE

BOAT DECK & DOCK COATING

AVAILABLE COLORS

PETTIT TUFF COAT RUBBERIZED NON-SKID COATING



PETTIT TUFF COAT is a state of the art, single component, flexible, water-based product created through a unique process of cross-linking urethanes, acrylics, co-polymers and recycled rubber granules to create a long-lasting non-skid coating. This product is designed to provide an attractive, highly durable, impact-resistant, non-slip surface for boats, yachts, decks and docks. This product can be used in areas of full submersion should an application be desired. Pettit Tuff Coat is the perfect medium texture solution in high traffic areas where safety is a high priority and it's powerful UV filters allow the coating to be used in direct or indirect sunlight without the coating fading, peeling or breaking down.

Pettit Tuff Coat's flexible matte finish dries to 30-35 mils of thickness creating a finish that hides significant imperfections on all surfaces as well as improves existing non-skid finishes from boat manufacturers. This product is low odor and should be applied with a Tuff Coat roller or low-pressure hopper spray gun.

Pettit Tuff Coat is available in 15 attractive stocked colors and also available in large volume custom colors.







WHITE 3175TC

NOTE: ALL COLOR SWATCHES SHOWN IN THIS BROCHURE ARE APPROXIMATIONS OF THE ACTUAL PRODUCT COLOR IN THE CAN. COLORS ARE CLOSE AS POSSIBLE, BUT MAY NOT IDENTICALLY MATCH EZ POXY COLORS DUE TO NON-SKID FINISH AND TEXTURE.

PRIMER

PETTIT TUFF COAT PRIMER 4000/4001



PETTIT TUFF COAT PRIMER 4000/4001 is a 2 component water-based epoxy primer/sealer that can be used on fiberglass, gelcoat, concrete, wood, and painted surfaces to promote adhesion between the substrate and Tuff Coat. This product can be applied to damp concrete marine surfaces following proper application procedures. This product is compatible with all Tuff Coat rubberized non-skid coatings.

APPLICATION GUIDE



TEXTURED ROLLERS

TUFF COAT TEXTURED ROLLERS



Pettit Tuff Coat non-skid coatings must be applied by Tuff Coat rollers to ensure a uniform finish and proper dispersion of the rubber granules.

P9001 - 9" Textured Roller Cover P4002 - 4" Textured Roller Cover (Twin Pack)